

1/EH-29 (i) (Syllabus-2015)

Odd Semester, 2020

(Held in March, 2021)

MATHEMATICS

(Elective/Honours)

(GHS-11)

(Algebra-I & Calculus-I)

Marks : 75

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

Answer **five** questions, taking **one** from each Unit

UNIT—I

1. (a) For what values of x , the function
 $f(x) = \sqrt{(x-2)(x-3)}$ is not defined? 3
- (b) Let $f(x) = \sin x$, $\phi(x) = \cos x$. Show that
 $\phi(2x) = 1 - 2f^2(x)$. 2
- (c) Let $A = \{x, y, z\}$, $B = \{y, w\}$. Determine
 $A \cup B$, $A \cap B$, $A \times B$
and the power set $P(A)$. 4

(2)

- (d) Examine if the following relations R on the set of integers are equivalence relations : 3×2=6

(i) xRy if and only if $x-y$ is an odd integer

(ii) xRy if and only if $x \leq y$

2. (a) Let

$$f(x) = \frac{x - |x|}{x}, \quad x \neq 0$$
$$= 0, \quad x = 0$$

Examine if $f(x)$ is continuous at $x=0$. 4

- (b) Establish the following limit using definitions : 3½

$$\lim_{x \rightarrow 3} \frac{1}{x} = \frac{1}{3}$$

- (c) If $f(x)$ and $g(x)$ are continuous at $x=a$, prove that $f(x) + g(x)$ is also continuous at a . 3½

- (d) Let

$$f(x) = 4x + 3, \quad \text{when } x \neq 4$$
$$= 10, \quad \text{when } x = 4$$

Obtain $\lim_{x \rightarrow 4} f(x)$. 4

UNIT—II

3. (a) Let $f : X \rightarrow Y$ and $A \subseteq Y, B \subseteq Y$. Show that $f^{-1}(A \cap B) = f^{-1}(A) \cap f^{-1}(B)$. 3

(b) If A and B are symmetric matrices of same order, show that AB is symmetric if and only if $AB = BA$. 4

(c) If A is an $n \times n$ matrix, prove that $|\text{adj } A| = |A|^{n-1}$ 3

(d) Using elementary row operations, compute the inverse of the matrix

$$\begin{bmatrix} 3 & -3 & 4 \\ 2 & -3 & 4 \\ 0 & -1 & 1 \end{bmatrix} \quad 5$$

4. (a) If A is an idempotent matrix, show that $I-A$ is also idempotent. 2

(b) Reduce the matrix

$$\begin{bmatrix} 2 & -1 & 3 & 4 \\ 0 & 2 & 4 & 1 \\ 2 & 3 & 7 & 5 \\ 2 & 5 & 11 & 6 \end{bmatrix}$$

to the normal form. Hence find its rank. 7

- (c) Examine if the following system of equations is consistent. If so, solve the system : 6

$$\begin{aligned}x + y + z &= 9 \\2x + 5y + 7z &= 52 \\2x + y - z &= 0\end{aligned}$$

UNIT—III

5. (a) Define derivative of a function at an interior point of its domain. 2

- (b) A function $f(x)$ is defined as

$$\begin{aligned}f(x) &= 0, & 0 < x < 1 \\&= 2 - x, & 1 \leq x \leq 2\end{aligned}$$

Show that $f'(1)$ does not exist. 3

- (c) If

$$y = \sqrt{\sin x + \sqrt{\sin x + \sqrt{\sin x + \sqrt{\dots}}}}$$

prove that $\frac{dy}{dx} = \frac{\cos x}{2y - 1}$. 4

- (d) Find $\frac{dy}{dx}$, if

$$y = \log(x + \sqrt{x^2 - a^2}) + \sec^{-1}\left(\frac{x}{a}\right) \quad 3$$

- (e) Differentiate $\sin x$ with respect to x^2 . 3

6. (a) If the area of a circle increases at a uniform rate, prove that the rate of the increase of the perimeter varies inversely as the radius. 3

(b) If $y = x^{n-1} \log x$, show that

$$y_n = \frac{(n-1)!}{x} \quad 4$$

(c) If $y = e^{1/x}$, find y_3 . 3

(d) Evaluate (any two) : $2\frac{1}{2} \times 2 = 5$

(i) $\text{Lt}_{x \rightarrow \infty} (\sqrt{x^2 + 2x} - x)$

(ii) $\text{Lt}_{x \rightarrow \frac{\pi}{2}} \frac{\tan 5x}{\tan x}$

(iii) $\text{Lt}_{x \rightarrow 0} (\cos x)^{\cot^2 x}$

UNIT—IV

7. (a) Show that

$$\int \frac{x dx}{x^4 - x^2 - 2} = \frac{1}{6} \log \left| \frac{x^2 - 2}{x^2 + 1} \right| + c \quad 3$$

(b) Obtain a reduction formula for

$$\int_0^{\pi/2} \sin^m x \cos^n x dx$$

m, n being positive integers greater than 1. 5

- (c) Evaluate : 4

$$\int_0^{\pi/2} \frac{\sin x \, dx}{\sin x + \cos x}$$

- (d) Find the value of the improper integral

$$\int_0^3 \frac{dx}{\sqrt{9-x^2}}$$

- if it converges. 3

8. (a) Evaluate : 4

$$\lim_{n \rightarrow \infty} \left[\frac{1}{n+m} + \frac{1}{n+2m} + \dots + \frac{1}{n+nm} \right]$$

- (b) Using properties of definite integral, show that

$$\int_0^{\pi/4} \log(1 + \tan \theta) \, d\theta = \frac{\pi}{8} \log 2 \quad 4$$

- (c) Show that

$$\int_a^b \phi(x) \, dx = \int_0^{b-a} \phi(x+a) \, dx \quad 2$$

- (d) Express the following integral as the limit of a sum and evaluate it : 5

$$\int_0^1 x^3 \, dx$$

UNIT—V

9. (a) Eliminate a and b from the relation

$$xy = ae^x + be^{-x} \quad 3$$

- (b) Solve (any three) : 3×3=9

(i) $e^{x-y} dx + e^{y-x} dy = 0$

(ii) $(x^2 + y^2) dy = xy dx$

(iii) $x \frac{dy}{dx} + y = y^2 \log x$

(iv) $\frac{dy}{dx} + xy = x$

- (c) Find the orthogonal trajectories of $y^2 = 4ax$. 3

10. (a) Solve (any two) : 4×2=8

(i) $y = px + \frac{a}{p}$

(ii) $p^2 - 2xp + 1 = 0$

(iii) $p^2 + 2xp - 3x^2 = 0$

Here p stands for $\frac{dy}{dx}$

(8)

- (b) Obtain the complete primitive and singular solution of

$$y = px + \sqrt{a^2 p^2 + b^2} \quad 4$$

- (c) Show that the equation of the curve whose slope at any point is $y+2x$ and which passes through the origin is

$$y = 2(e^x - x - 1) \quad 3$$
